EGGLESTON & KRENZER ARCHITECTS, PC

The Trolley Bldg 1391 East Genesee Street Skaneateles, New York 13152

Town of Skaneateles Planning Board 24 Jordan Street Skaneateles, NY 13152 August 7, 2025

Re: Stephen and Susan Costalas

Site Plan Review and Special Permit

3143 East Lake Road Tax ID

Tax ID# 040.-01-29.0

NARRATIVE

The Costalas property has 102,355 SF lot area, 215.64 FT road frontage and 200 LF of shoreline in the RF District and Skaneateles Lake watershed. A single-family dwelling, patio, porches, steps and, shoreline structures are on the lot. The lot has a steep slope area near the lake with a seawall, 675 SF of dock, a 584 SF boat canopy and boat ramp into the lake. The boat canopy and dock are in poor condition and not into deep enough water during low water periods. The ISC is 12.3% and TSC is 12.3%. There are 35 SF of on-shore lakefront structures and 1,375 SF of off-shore structures.

This application is to replace the boat canopy and dock, remove the boat ramp are replace with a grass ramp to a boulder edge, add an 80 SF shed, 288 SF gazebo with fireplace, 364 SF patio and modify the grades within the lake yard. Steps to the boat canopy and dock will be set into the grade as needed. The grass boat ramp will have geogrid in it to prevent it from eroding at the lake line. This 12% slope will continue up to the house for easy access to the lake. In that the boat canopy is in shallow water, a marine rail system will prove access to deeper water. The second boat slip area will accommodate smaller watercraft. The dock will be extended 80 feet into deeper water similar to the neighboring properties.

To reduce the ISC, the circle driveway at the house will be eliminated but allow for guest parking spaces and a turn-around. The ISC will reduce to 11.5%, TSC to 12.2% and the on-shore structures will be 788 SF. The off-shore dock will be 797 SF and 8 ft wide. The boat canopy will be reduced to 576 SF and be 16 ft above high water. The total off-shore structures will be reduced to 1,373 SF. The boat slip under the canopy will be enlarged to 22' x 23'. The perimeter envelope will be 3,565 SF

The dock and boat canopy work will be performed from a barge. The lakefront work will use a temporary drive on the south side of the house. Silt fence or sediment logs will be placed below the work area or a floating silt curtain as necessary to control erosion. Site Plan Review is required for the work at the lake front. The steep slope areas and lakefront by the patio will be planted with native species ground cover, bushes and trees for a buffer to the lake.

A Special Permit is required for the replacement of the boat canopy, change of grade in the lake yard and redevelopment in that the reduced ISC will be 11.5%. A 118,260 SF lot is required to make the required 10% ISC which is 15,869 SF greater than the current lot. At \$1.09/SF, a payment of \$17,297.21 will be made to the Town's LDRA Fund.

(315) 685-8144

CONSTRUCTION SEQUENCE

- 1) Place silt fence/floating silt curtain below work area and maintain during construction.
- 2) Mark and protect septic area from construction traffic and staging.
- 3) Place temporary construction drive with run of crusher stone over geotextile fabric.
- 4) Remove existing dock and boat canopy structure.
- 5) Drive 8" steel piles for new dock/boat canopy structure.
- 6) Construct dock, boat canopy and set marine rail system.
- 7) Remove floating silt curtain when water has cleared.
- 8) Remove wood seawall and replace with rock boulders at lake line, set 12" into lake bed.
- 9) Modify grade in lake yard, set boulder retaining walls as required.
- 10) Construct shed and gazebo foundation and retaining walls. Backfill and rough grade.
- 11) Construct patio, gazebo, shed and steps.
- 12) Construct bio swales, and finish grading. Spread top soil, landscaping, seed and mulch. Water during dry periods.
- 13) Remove temporary gravel driveway and excess driveway. Patch disturbed areas.
- 14) After site is stabilized, remove silt fence.







