TOWN OF SKANEATELES PERMIT GUIDELINES FOR DEMOLITION

- 1) Completed building/zoning permit application including required items 1-3 & 5 as listed.
- 2) Asbestos survey and abatement completion paperwork. Demolition that occurs in any building built prior to January 1, 1974 requires an Asbestos Survey pursuant to the New York State Labor Law pertaining to Building Demolition Survey's. If a Building Demolition Survey is required, please contact the NYS Department of Labor Asbestos Control Bureau at 479-3215 or www.labor.state.ny.us under Code Rule 56.
- 3) Contact Dig Safely New York @ 1-800-962-7962 for marking of underground utility lines at least one week prior to the date of demolition.
- 4) Install erosion control devices where applicable for adjoining properties.
- 5) Foundation must be filled in after demolition with appropriate fill and the site must be cleared of all debris, graded, seeded and mulched to prevent erosion.

Any questions, please call the Building & Codes Department at (315) 685-0833.

Town of Skaneateles Requirements for a Building Permit

Please be advised that it will take approximately 5-10 business days to review a <u>complete application</u> to determine compliance with the Town Zoning Ordinance and the New York State Uniform Fire Prevention and Building Code. The review process begins when a <u>complete application</u> has been received. The following is required for a <u>complete application</u> and failure to submit any of these may result in the delay of your project. Please call the Building and Zoning Department at 685-0833 if you have any questions regarding this.

- 1. Original copy of completed permit application printed in ink and signed by record owner (proof of ownership may be required).
- 2. If property is located within the Lake Watershed Overlay District, applicant must submit copies to the City of Syracuse Water Department located at 20 West Genesee Street, Skaneateles. This should be done at the same time submittal is made to the Town. (Please see attached City of Syracuse letter dated 2/11/04)
- 3. One copy of an original survey map certified within five years of the date of this application showing location of all existing and proposed structures (including decks, porches, fireplaces, etc.), with front, rear and side setbacks drawn by a licensed surveyor or engineer. If survey doesn't represent current conditions, re-certification is required. If property has lakefront, the lake line (865.02' National Geodetic Vertical Datum, 1929) must be shown. Information indicating impermeable surface coverage and lot coverage may be required.
- One copy of plans of structure and specifications. If cost of structure is over \$20,000 (materials and labor), NYS architect or professional engineer drawings stamped and signed, are required.
- 5. Contractors certificates of insurance or exemption for workers compensation, disability and liability CE-200 (certificate of attestation of exemption) or C-105.2, u-26.3 (State Insurance Fund Version) or SI-12 or GSI-105.2 or BP-1 (if homeowner of a 1,2,3, or 4 owner-occupied residence is listed as the general contractor and performing all the work for which the building permit is issued). Please call the Bureau of Compliance at (518) 486-6307 with any general questions regarding the Workers' Compensation Law. Official website www.wcb.state.nv.us.
- 6. For any dwelling constructed before 1989, an asbestos survey must be completed by a certified Asbestos Inspector, in compliance with OSHA and Industrial Code Rule 56, whenever all or part of a building or structure will be demolished, renovated, remodeled, or repaired. The survey will determine if the planning work will disturb asbestos material, and a copy is to be provided to the town.

If there are no zoning issues that require Zoning or Planning Board approval, a permit is issued, and a fee collected. Building permit fees are based on the square footage for new construction, or by the value of the proposed renovation or alteration. Valuation is the anticipated market value of the proposed construction project and includes all labor and materials for which the permit is issued. Determination of the value shall be made by the building official based on average construction costs per square foot as established in the Building Valuation Data (BVD) table published by the International Code Council. Please see the Building and Zoning Fee schedule for applicable fees.

TOWN OF SKANEATELES

		APPLICATION FOR	ZONING AND BUILDIN		
FOR TOWN USE ONLY				Permit No	
	nitted		0		
Date Approved			trict	Construction	
	ed		\$	-	
LWOD _		FPOD			
				Approved By	
pursuant t enlargeme	is hereby made to all applicable on the addition, alteration,	o the Code Enforcer odes, ordinances ar	ment Officer for the iss nd laws regulating and it improvement remova	L PLACES THAT APPLY suance of a Zoning and Building Ind governing the erection, construal, demolition, conversion and/or chales of the Town of Skaneateles.	uctio
				Zip:	
Но	me Phone:	Daytime	Phone:	Other:	
2. Ad	dress of Property: _				
3. Na	me of Applicant for I	Permit:			
Add	dress:			Zip:	
Pho	one:	Other:	Email:		
l. Arc	hitect or Engineer o	f Record:			
Add	dress:			Zip:	
Day	ytime Phone:	Email			
(If C	OWNER doing all we	nstruction Manager:_ ork under this Permit /	Application check here) Zip:	
Cell	Phone or Other:		Email:		
disa	ability insurance or f	copy of Certificate of I IYS exemption certific out Insurance requirem	ate.) Please see the atta	ility, worker's compensation and tached memo from Codes	

Buildi	ng Information	Evieting Structure	Dropped C	imanturo/Addition
	9. Are there any wetlands of	on the property?	Yes	No
	8. Are there any easement		Yes	No
	located on or within 200		Yes	No
	7. Is there any stream, pon	d, lake or drainage channel		
		eeding 30%?	Yes	No
	•	eeding 12%?	Yes	No
	6. Are there any slopes:	in 100 leet of the mean lake line	7: 168	INO
		ike vvatershed? in 100 feet of the mean lake line	Yes e? Yes	No No
	4. Site is in the Skaneateie		Yes	No
	 Site affected by flood pla Site is in the Skaneatele 		Yes	No
	1. Area of lot	(1 acre =43,560 square feet)	•	
10.	ZONING INFORMATION:			
			Yes No	
9.	Will there be any electrical	or plumbing work associated wi	th this project?	
	mountsont, attach against	am dilocis as may be necessary	· 	
	the proposed use, including	g use and size of all items checum sheets as may be necessary	ked in number 6 above	. If the space allowed is
8.	DESCRIPTION OF PROJE Set forth a partative descr	ECT: ription of the proposed project.	Describe in detail the	work to be done and/or
7.	Estimated total valuation (Include estimated value o	of construction: \$f all work, materials and labor fo	or the work under this a	oplication.)
	Fence/Berm/Wall Conversion of seasonal (All others	Add impermeable surfa residence to year-round residen		
	Sign	Shoreline Structure	Swimming Pool/Hot To	ab
	Move Building	Shed	Fireplace/Stove Chimney	
	New Structure Deck/Patio	Addition Demolition/Removal	Alteration/Repair	
6.	NATURE OF WORK (che			

Building Information	Existing Structure	Proposed Structure/Addition
Principal Building: total floor space	SF	SF
Attached Garage	SF	SF
Attached Decks and Porches	SF	SF
Accessory Buildings: List all	SF	SF
detached buildings and the use (storage, shop, animals, etc)	SF SF	SF
(storage, shop, animals, etc)	35	SF
Total of all structures	SF	SF
Number of Bedrooms		-
Number of Bathrooms		
Number of Fireplaces		(a)
Finished basement	SF	SF
Building Height (measured from the average finished grade of the perimeter of the house to highest point of roof)	FT	FT

11.	PROPERT Current (ie:	PROPERTY USE (see Town Code §148-8 for allowable uses) Current (ie: one-family/office/retail/etc.):		
	Proposed:			

12. OTHER:

- A. The applicant shall notify the Codes Enforcement office of any changes in the information contained in the application during the period for which the permit is in effect. A permit will be issued when the application has been determined to be complete and when the proposed work is determined to conform to the requirements of the Code of the Town of Skaneateles, New York and NYS Uniform Fire Prevention and Building Code. The authority conferred by such permit may be limited by conditions.
- B. A building permit may be suspended or revoked if it is determined that the work to which it pertains is not proceeding in conformance with the Code of the Town of Skaneateles, the NYS Uniform Fire Prevention and Building Code or with any condition attached to such permit, or if there has been a misrepresentation or falsification of a material fact in connection with the application for the permit.
- C. A building permit shall expire 18 months from the date of issuance or upon the issuance of a Certificate of Occupancy (other than a temporary Certificate of Occupancy) whichever comes first.

CERTIFICATION

The undersigned hereby affirms under the penalty of perjury that to the best of his/her knowledge and belief the information given and accompanying this application is accurate and true. The undersigned represents and agrees as a condition to the issuance of these permits that the development will be accomplished in accordance with the Town Zoning Law, the New York State Uniform Fire Prevention and Building Code and the plans and specifications annexed hereto.

PERMIT CANNOT BE ISSUED WITHOUT PROPERTY OWNER SIGNATURE.

Owner's Signature:	Date:		
Print name:			
Applicants Signature (if different):	Date:		



Town of Skaneateles-Permitted Bulk Water Use Form

This form provides an Applicant the use of a fire hydrant in accordance with Town Code 146-8.C.

Applicant Information	•		
Company Name/Name of Applicant:			
Billing Address:			
City:	State:		Zip:
Hydrant Use Informati	ion:		
Purpose:			
	vill have access to star	rt and stop flo	s to the hydrant and open the w using the valve on the meter ant.
backflow prevention dev backflow prevention dev all charges and any dam	vice. I hereby agree rice assembly. I under ages caused to the w	to be responsi stand that I a ater meter an	using a Town of Skaneateles sible for the water meter and m responsible for payment for d backflow prevention device ateles property or facilities.
Responsible Party Name Responsible Party Signat Date:			
Current Bulk Water Rate	: \$4.43/1,000 gallons		
Office Use Only			
Initial Meter Read:			у:
Returned Meter Read:			y:

Onondaga County Department of Health Division of Environmental Health

BUILDING DEMOLITION REPORT

Date:	Log No.		
Taken By:	Referred to Investigator		
BUILDING LOCATION			
Building Address:			
City, Village, Town:			
Other Identification:			
OWNER OR	OWNER'S AGENT		
Owner's Name:	Tel. No		
Address:			
Agent's Name:	Tel. No		
Address:			
INVESTIGATOR'S REPO	RT AND RECOMMENDATION		
Evidence of Vermin	(Circle One) Yes No		
Evidence of Rodents	(Circle One) Yes No		
Extermination Required	(Circle One) Yes No		
Exterminated By: Date:			
Remarks:			
Investigator's Signature:			
Date Approved for Demolition:			

To All Building Permit Applications City of Syracuse Water Department

Pursuant to the Skaneateles Watershed Rules and Regulations, the <u>Syracuse Water Department</u> must be notified of any building permit applications and proposed construction activities prior to commencement of the action. A Sediment and Brosion Control Plan may also be necessary. The two sections below describe the requirements.

Requirement to Submit Building Permit Application

Copies of permit applications for proposed building activities that involve land or shoreline disturbance within the watershed shall be forwarded to the Syracuse Water Department, by the applicant, at the same time it is submitted to the agency having jurisdiction.

Notification shall be at the earliest stages of the application process including an informal or formal pre-application review state (i.e. preliminary sketches, drawings, proposals, etc.) for any proposed activities so as to allow the Syracuse Water Department to be included in the review of any proposed activities within the watershed at the initial planning stages. Where applicable, any comments by the Syracuse Water Department must be submitted within the statutory or procedural time frames of the permitting agency. Copies of all permits issued shall be sent to the Syracuse Water Department by the applicant.

Requirement to Submit An Erosion/Stormwater Control Plan

Copies of the erosion/stormwater control plans must be submitted to the Syracuse Water Department by the applicant at least

10 business days prior to undertaking any land disturbance activity.

Land Disturbing activities, including, but not limited to, general construction, highway construction and maintenance, and silviculture, and which expose 5,000 or more square feet of soil (i.e. vegetation has been removed, or the landscape has been graded or filled resulting in bare soil surfaces) are prohibited within an environmentally sensitive area defined above in except where measures have been put in place to prevent erosion and sediment production as outlined in the various publications (listed below).

The proposed measures shall be in the form of a written description and site plan showing the design criteria, location and type of proposed control structures, sequence of actions, etc., including construction details.

The term environmentally sensitive area shall be defined as those areas that meet any or all of the following criteria:

- < land within 300 feet of the lake or watercourse,
- < areas with slopes greater than 15%,
- within 300 feet of or within areas defined by the NYSDEC as wetlands,
- soils that are highly erodible, where highly erodible is defined as: areas with soils that pose a high risk of erosion, or severe limitations on structure or sewage disposal system construction, and are identified as lands with some or all of the following conditions:
 - < shallow soils; <2 foot depth to bedrock or fragipan,
 - < high seasonal ground water table (<3 feet),</p>
 - soils that are either poorly drained and/or highly permeable soils,
 - soils that are either excessively drained and/or highly permeable soils,
 - soils underlain or intersected by easily softened and mobile layers, especially silts and clays, which may be evidenced by outcrop or recent instability

Manuals and Guidelines

New York State Stormwater Management Design Manual = (February 2002) prepared by the Center for Watershed Protection

New York Guidelines for Urban Erosion and Sediment Control*(April 1997), published by the Soil and Water Conservation Society

Construction Management Practice Catalogue for Nonpoint Source Pollution Prevention and Water Quality Protection in New York State*(November 1992), published by the Bureau of Water Quality Management, Division of Water, NYSDEC

Silviculture Management Practice Catalogue for Nonpoint Source Pollution Prevention and Water Quality Protection in New York State*(October 1993) published by the Bureau of Water Quality Management, Division of Water, NYSDEC

Mailing Address

City of Syracuse Water Treatment Plant 20 W. Genesee St. Skaneateles, NY 13152

315-685-6486 315-685-8160 (FAX)

February 11, 2004