

[illegible]

THE CONTRACTOR SHALL BE RESPONSIBLE FOR KEEPING THE STREET PAVED WITH ASPHALT OR CONCRETE.

2. MAINTENANCE - THE CONTRACTOR SHALL INSPECT ALL DRAINAGE STRUCTURES AND BRANCH COLLECTORS ON A REGULAR BASIS AND AFTER ALL STORMS IF NECESSARY OR IMMEDIATELY FOLLOWING BUT NOT LIMITED TO THE FOLLOWING: REPLACING DAMAGED OR BUILT IN BRANCH COLLECTOR CLEANING OF STRUCTURES AND REMEDIALS BROCKED OR BANNED OR REDUCED AREAS.

3. CONTRACTOR SHALL MAINTAIN BRANCH CONTROL MEASURES WATER DISTRIBUTION & COMPLETE LAINS HAVE BECOME BRANCHED AND ALL SOURCES OF BROCK HAVE BEEN PERMANENTLY ABOLISHED.

4. CONTRACTOR SHALL PROVIDE DRAIN CONTROL IN ACCORDANCE WITH THE LATEST EDITION OF "NEW YORK GUIDELINES FOR URBAN BROCK AND DRAINAGE".


AND VEGETATION IS ACHIEVED.
6. PREPARE PARKING AREA AND BUILDING SUBGRADE.
7. EXCAVATE AND FILL REST OF SITE AREAS. THE GRADE, SEED AND MULCH ALL DISTURBED AREAS WITHIN FOURTEEN (14) DAYS OF DISTURBANCE. AREAS TO RECEIVE ASPHALT DRIVEWAYS SHALL BE PAVED WITH IN AT LEAST 14 DAYS OF DISTURBANCE. WITHIN FOURTEEN (14) DAYS OF COMPLETION OF THE SUBGRADE COURSE, MAINTAIN ALL DISTURBED SOIL AREAS AND DRAINAGE FACILITIES UNTIL AREAS ARE COMPLETELY STABILIZED AND VEGETATION IS ACHIEVED.
8. REMOVE TEMPORARY CONSTRUCTION ENTRANCES AFTER ASPHALT DRIVE COURSE IS PLACED.
9. THE GRADE AND SEED INFILTRATION BARRIERS AS NOTED ON THE PLANTING PLAN.

1. REMOVE EXISTING CONTROL FLEASHERS FROM STABILIZED AREAS UPON NEW VISCEROS GRASS BECOMING AS ESTABLISHED BY A FORM CODE CRITERIA OR REPRESENTATIVE AND FOUND TO BE SATISFACTORY.

2. FINAL CLEAN UP - REMOVE EXISTING CONTROL FLEASHERS AND CLEAN OUT ALL DRAINAGE STRUCTURES AND PIPES AFTER LAY IS BUILT. SURFACED UPON NEW VISCEROS GRASS BECOMING AS ESTABLISHED BY A FORM CODE CRITERIA OR REPRESENTATIVE AND FOUND TO BE SATISFACTORY. CONTRACTOR IS RESPONSIBLE FOR PORTLAND CEMENT UPON PROJECT CLOSEOUT.

4. CONTRACTOR ARCHITECT AND OWNER TO REVIEW BIDS FOR COMPLETION. CONTRACTOR TO ADDRESS PLAN COMMENTS ON PLACE. UP FOR ARCHITECT AND SUPPLY INSPECTION REPORTS.

5. AS PART SURVEY OF ALL DRAINAGE FACILITIES WILL BE REQUIRED TO CONFORM THAT DRAINAGE FACILITIES BEING CONSTRUCTED IN ACCORDANCE WITH THE PLANS AND DETAILS.

[illegible]

630 PLYMOUTH, SUITE 109
EAST SPENCER, NY 13057
PH (315) 652-0889




LOBDELL STORMWATER POND
2795 COUNTY LINE ROAD
TOWN OF SKANEATELES ONONDAGA COUNTY, NY

10

Paper Bu _____
 Credit Bu _____
 Pay Bu _____
 Date _____
 By _____

ESC PLANS

C-2



TOP OF STEP = 10000
PRODUCT ELEVATION (FOR DETAILS) = 10000



4 POND PROFILE
NOT TO SCALE



10



INSTALL PYRAMAT BRUSHING CORP. INC. OR APPROVED EQUIVALENT. INSTALL
PER MANUFACTURER'S INSTRUCTIONS.


 **SPILLWAY WITH PYRAMAT**

NOT TO SCALE

05-2010-0010



SECTION
2 CONSTRUCTION ENTRANCE (MUDRACK)



3 SILT FENCE (SF) 04-000

LOBDELL STORMWATER POND
2795 COUNTY LINE ROAD
TOWN OF SKANEATELES ONONDAGA COUNTY, NY

Pre By	C.S.K.
Order By	R.L.Z.
By No.	2504
Date	09/10/2025
By	AS NOTED

DETAILS PLANS